

Anabolic Lab™

Analytical Lab Testing for
Anabolic Steroid Harm Reduction

<https://anaboliclab.com>

Lab Report – November 17, 2016

Jintani Labs
Methenolone Enanthate (100 mg/mL)
Methenolone Enanthate



If you like the attached report, please visit [our website](https://anaboliclab.com) to find out how you can support independent and objective lab testing.

Test report

Number **C 48763**

Object of analysis: Jintani Primobolan

Customer: AnabolicLab.com

Samples: 1

Batch: -

Receipt: 29.09.2016

Subject: Assay, Identification Methenolone enanthate

Method(s): HPLC, SOP M 006

Sample / Analysis:	Method	Status	Result	Specification	complies
<u>Methenolone enanthate:</u>					
Identification	HPLC	N	complies	complies	yes
Content	HPLC	N	101.0 mg/ml	-	-
TAMC	SOP M 006	N	< 1 CFU/mL	-	-
TYMC	SOP M 006	N	< 1 CFU/mL	-	-

Method-status: G = GMP A = accredited V = generally validated P = validated on product N = not validated
 E = external lab

Remarks: The sample(s) mentioned above have been analysed as they have been sent to us by the client. We have not controlled external processes like manufacturing, labelling, sampling, shipping, storage. These results are for information only and do not compensate for correct quality control by the manufacturer/distributor. Generally, pharmaceutical products have to be produced and distributed under full GMP/GDP regime, including GMP-compliant analyses with validated methods. It is not allowed to use this analysis in the context of doping/sports/competitions or any other illegal action, neither by the athlete nor by the tutor/trainer or any other person.

Signatures: controlled & released: 

Staff: 


completed:
17.11.2016

The enclosed results refer exclusively to the object of examination described above. The measuring accuracy is available on request. Only handwritten signatures are valid. Without written permission, it is not allowed to publish single parts of this report.

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 10.11.2016 22:50:49
 Vial: 8
 Probenidentifikation: C48763 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 14.11.2016 15:12:03
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.493	261658	0.000	0.161
	11.020	63210	0.000	0.039
	12.090	246369	0.000	0.151
	14.890	102455527	0.000	62.865
	16.077	69292	0.000	0.043
	16.993	136807	0.000	0.084
Testosterone Propionate			0.000 BDL	
	22.470	103136	0.000	0.063
Nandrolone phenylpropionate	22.857	205093	0.000	0.126
Trenbolone enanthate	25.103	45637	0.000	0.028
Testosterone Cypionate			0.000 BDL	
	27.920	83226	0.000	0.051
Testosterone enanthate			0.000 BDL	
Methenolone Enanthate	30.563	57682724	0.000	35.393
	33.800	401568	0.000	0.246

Nandrolone	34.883	431475	0.000	0.265
Decanoate	37.233	790857	0.000	0.485
Testosterone decanoate			0.000 BDL	


Totals		162976579	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\011_C48763 A-Rep1.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 10.11.2016 23:44:10
 Vial: 8
 Probenidentifikation: C48763 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 14.11.2016 15:12:05
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.497	262938	0.000	0.161
	11.030	64188	0.000	0.039
	12.103	245679	0.000	0.151
	14.903	102544548	0.000	62.845
	16.090	72230	0.000	0.044
	17.007	136376	0.000	0.084
Testosterone Propionate			0.000 BDL	
	22.480	104366	0.000	0.064
Nandrolone phenylpropionate	22.870	205474	0.000	0.126
Trenbolone enanthate	25.110	46495	0.000	0.028
Testosterone Cypionate			0.000 BDL	
	27.927	80557	0.000	0.049
Testosterone enanthate			0.000 BDL	
Methenolone Enanthate	30.577	57742470	0.000	35.388
	33.817	434567	0.000	0.266


Nandrolone	34.890	440771	0.000	0.270
Decanoate	37.247	790795	0.000	0.485
Testosterone decanoate			0.000 BDL	

Totals		163171454	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\011_C48763 A-Rep2.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 11.11.2016 00:37:36 Druckdatum: 14.11.2016 15:12:08
 Vial: 8 Injektvolumen: 20
 Probenidentifikation: C48763 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
	5.497	262305	0.000	0.161
	11.030	63821	0.000	0.039
	12.097	243787	0.000	0.150
	14.900	102384031	0.000	62.849
	16.087	69714	0.000	0.043
	17.003	135530	0.000	0.083
Testosterone Propionate			0.000 BDL	
	22.477	103046	0.000	0.063
Nandrolone phenylpropionate	22.863	198899	0.000	0.122
Trenbolone enanthate	25.100	45590	0.000	0.028
Testosterone Cypionate			0.000 BDL	
	27.920	83621	0.000	0.051
Testosterone enanthate			0.000 BDL	
Methenolone Enanthate	30.567	57638410	0.000	35.382
	33.800	437655	0.000	0.269

Nandrolone	34.880	444493	0.000	0.273
Decanoate	37.230	793327	0.000	0.487
Testosterone decanoate			0.000 BDL	


Totals		162904229	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\011_C48763 A-Rep3.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 11.11.2016 01:30:56
 Vial: 9
 Probenidentifikation: C48763 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 14.11.2016 15:12:10
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.493	237352	0.000	0.159
	11.023	57679	0.000	0.039
	12.093	227550	0.000	0.153
	14.897	94329849	0.000	63.262
	16.083	65729	0.000	0.044
	17.003	122045	0.000	0.082
Testosterone Propionate			0.000 BDL	
	22.473	95013	0.000	0.064
Nandrolone phenylpropionate	22.860	185890	0.000	0.125
Trenbolone enanthate			0.000 BDL	
Testosterone Cypionate			0.000 BDL	
	27.920	67363	0.000	0.045
Testosterone enanthate			0.000 BDL	
Methenolone Enanthate	30.570	52245566	0.000	35.038
	33.800	378393	0.000	0.254


Nandrolone	34.873	397005	0.000	0.266
Decanoate	37.227	701396	0.000	0.470
Testosterone decanoate			0.000 BDL	

Totals		149110830	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\012_C48763 B-Rep1.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 11.11.2016 02:24:23 Druckdatum: 14.11.2016 15:12:12
 Vial: 9 Injektvolumen: 20
 Probenidentifikation: C48763 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.500	238744	0.000	0.160
	11.033	55978	0.000	0.037
	12.097	223801	0.000	0.150
	14.897	94549128	0.000	63.214
	16.083	66637	0.000	0.045
	17.000	122846	0.000	0.082
Testosterone Propionate			0.000 BDL	
	22.467	94042	0.000	0.063
Nandrolone phenylpropionate	22.853	182781	0.000	0.122
Trenbolone enanthate			0.000 BDL	
Testosterone Cypionate			0.000 BDL	
	27.903	65939	0.000	0.044
Testosterone enanthate			0.000 BDL	
Methenolone Enanthate	30.553	52484351	0.000	35.090
	33.780	381105	0.000	0.255


	34.860	397313	0.000	0.266
Nandrolone Decanoate	37.213	707641	0.000	0.473
Testosterone decanoate			0.000 BDL	

Totals		149570306	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\012_C48763 B-Rep2.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 11.11.2016 03:17:41 Druckdatum: 14.11.2016 15:12:14
 Vial: 9 Injektvolumen: 20
 Probenidentifikation: C48763 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.497	238181	0.000	0.159
	11.033	55930	0.000	0.037
	12.100	222807	0.000	0.149
	14.903	94538984	0.000	63.242
	16.090	68225	0.000	0.046
	17.003	123326	0.000	0.082
Testosterone Propionate			0.000 BDL	
	22.480	94844	0.000	0.063
Nandrolone phenylpropionate	22.863	184737	0.000	0.124
Trenbolone enanthate			0.000 BDL	
Testosterone Cypionate			0.000 BDL	
	27.917	67353	0.000	0.045
Testosterone enanthate			0.000 BDL	
Methenolone Enanthate	30.567	52328235	0.000	35.005
	33.793	386287	0.000	0.258


Nandrolone	34.880	395668	0.000	0.265
Decanoate	37.227	782240	0.000	0.523
Testosterone decanoate			0.000 BDL	

Totals		149486817	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\012_C48763 B-Rep3.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 09.11.2016 19:16:12 Druckdatum: 14.11.2016 15:10:49
 Vial: 2 Injektvolumen: 20
 Probenidentifikation: STD Methenolone Enanthate und Test Decanoate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate			0.000 BDL	
Trenbolone enanthate	25.477	45555	0.000	0.036
Testosterone Cypionate	25.743	80888	0.000	0.063
	26.553	55725	0.000	0.044
	27.920	253596	0.000	0.198
Testosterone enanthate			0.000 BDL	
Methenolone Enanthate	30.570	64267191	0.000	50.215
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate	39.490	63281182	0.000	49.445

Totals		127984137	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\004_STD Methenolone Enanthate und Test Decanoate-Rep1.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 09.11.2016 20:09:36 Druckdatum: 14.11.2016 15:10:52
 Vial: 2 Injektvolumen: 20
 Probenidentifikation: STD Methenolone Enanthate und Test Decanoate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate			0.000 BDL	
Trenbolone enanthate	25.477	68138	0.000	0.053
Testosterone Cypionate	25.750	81426	0.000	0.063
Testosterone enanthate	26.560	56348	0.000	0.044
Testosterone enanthate	27.927	253466	0.000	0.198
Methenolone Enanthate	30.573	64274555	0.000	50.116
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate	39.493	63518238	0.000	49.526

Totals		128252171	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\004_STD Methenolone Enanthate und Test Decanoate-Rep2.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 09.11.2016 21:03:03 Druckdatum: 14.11.2016 15:10:54
 Vial: 2 Injektvolumen: 20
 Probenidentifikation: STD Methenolone Enanthate und Test Decanoate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate			0.000 BDL	
Trenbolone enanthate	25.483	67143	0.000	0.052
Testosterone Cypionate	25.750	82370	0.000	0.064
Testosterone Cypionate	26.560	56401	0.000	0.044
Testosterone enanthate	27.923	253951	0.000	0.198
Methenolone Enanthate	30.573	64424116	0.000	50.209
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate	39.490	63428708	0.000	49.433

Totals		128312689	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\004_STD Methenolone Enanthate und Test Decanoate-Rep3.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 09.11.2016 21:56:23 Druckdatum: 14.11.2016 15:10:56
 Vial: 2 Injektvolumen: 20
 Probenidentifikation: STD Methenolone Enanthate und Test Decanoate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate			0.000 BDL	
Trenbolone enanthate	25.487	68945	0.000	0.054
Testosterone Cypionate	25.757	83346	0.000	0.065
Testosterone Cypionate	26.563	57455	0.000	0.045
Testosterone enanthate	27.930	253119	0.000	0.197
Methenolone Enanthate	30.583	64432921	0.000	50.179
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate	39.497	63510760	0.000	49.461

Totals		128406546	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\004_STD Methenolone Enanthate und Test Decanoate-Rep4.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 09.11.2016 22:49:48 Druckdatum: 14.11.2016 15:10:58
 Vial: 2 Injektvolumen: 20
 Probenidentifikation: STD Methenolone Enanthate und Test Decanoate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate			0.000 BDL	
Trenbolone enanthate	25.483	68449	0.000	0.053
Testosterone Cypionate	25.753	83148	0.000	0.065
	26.563	57317	0.000	0.045
Testosterone enanthate	27.930	254243	0.000	0.198
			0.000 BDL	
Methenolone Enanthate	30.580	64330514	0.000	50.178
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate	39.490	63410712	0.000	49.461

Totals		128204383	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\004_STD Methenolone Enanthate und Test Decanoate-Rep5.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 09.11.2016 23:43:15 Druckdatum: 14.11.2016 15:11:01
 Vial: 2 Injektvolumen: 20
 Probenidentifikation: STD Methenolone Enanthate und Test Decanoate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate			0.000 BDL	
Trenbolone enanthate	25.477	45338	0.000	0.035
Testosterone Cypionate	25.750	81309	0.000	0.064
	26.553	56818	0.000	0.044
	27.927	253048	0.000	0.198
Testosterone enanthate			0.000 BDL	
Methenolone Enanthate	30.573	64216498	0.000	50.189
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate	39.483	63297520	0.000	49.470

Totals		127950531	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\004_STD Methenolone Enanthate und Test Decanoate-Rep6.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met